

MIN TO MAX SEAL

FOR THE AUTOMOTIVE INDUSTRY




MIN TO MAX

mintomaxseal.com



Contents

Application	003
Custom Service	004
Single Wire Seal	005-040
Cavity Plug	041-046
Connector Seal	047-054
Connector Gasket	055-060
Rubber Grommet	061
Custom Rubber Parts	062-065
Contact	066





COMMON NAME	SILICONE GENERAL PURPOSE	FPM	NBR	IR	IIR	CR	NR	EPDM	ECO
PHYSICAL PROPERTIES									
SHORE A RANGE	30-80	50-90	30-90	40-90	30-80	20-90	20-90	30-90	40-90
MAX. SERVICE TEMP., °F	450°F	400°F	250°F	200°F	250°F	220°F	200°F	300°F	300°F
MIN. SERVICE TEMP., °F	- 70°F	- 10°F	- 45°F	- 20°F	- 20°F	- 10°F	- 20°F	- 40°F	- 20°F
COMPRESSION SET RESISTANCE	A-B	A-B	B	B	C	B	B	A-B	B
RESILIENCY	B	C-D	C	A	B-C	A	A	B	C
FLAME RESISTANCE	B-C	A	NR	C	C	B-C	C	C	D
OZONE RESISTANCE	A	A	NR	B	B-C	C-D	B	A	B
WEATHER RESISTANCE	A	A	C	D	A	B	D	A	B
ELECTRICAL INSULATION	A	C	C	C	B-C	NR	C	B	C
ABRASION RESISTANCE	C	B	A-B	D	C	B	D	B	A
PERMEABILITY TO GASES	MODERATE	LOW	LOW	LOW	EXTR. LOW	LOW	LOW	LOW	VERY LOW
TENSILE STRENGTH	LOW-MO	HIGH	MOD-HIGH	MOD-HIGH	MOD-HIGH	MODERATE	MOD-HIGH	MODERATE	MOD-HIGH
TEAR STRENGTH	LOW-MOD	MOD-HIGH	MODERATE	MODERATE	MOD-HIGH	MODERATE	MOD-HIGH	HIG	MODERATE
CHEMICAL RESISTANCE									
OIL RESISTANCE	C	A	A	NR	NR	B	NR	NR	A
FUEL RESISTANCE	C	A	A-B	NR	NR	C	NR	NR	A
ALCOHOL RESISTANCE	B	A	D	B	A	A	B-C	A	A-B
ALKALI RESISTANCE	C	C	C	C	A	A	C	A-B	B
ACID RESISTANCE	C	A	D	NR	B	B	NR	B	B
WATER RESISTANCE	A	A	A	B	A	A	B	A	B
STEAM RESISTANCE	C	A	NR	NR	B	NR	NR	A	B
ANIMAL / VEGETABLE OILS	B	A	A	C	C	B	C	B	A
ALIPHATIC HYDROCARBON SOLVENTS	C	A	A	NR	D	B-C	NR	D	A
AROMATIC HYDROCARBON SOLVENTS	C	A	D	NR	D	C-D	NR	D	D
OXYGENATED SOLVENTS	C	D	D	C	B	C-D	C	A-B	C-D
FOOD CONTACT SUITABILITY	A-B	C-D	B-C	NR	NR	NR	NR	B	NR

A = EXCELLENT

B = GOOD

C = FAIR

D = POOR

NR = NOT RECOMMENDED

A wide range of standard colors--Pantone.

Silicone housing seals from MIN TO MAX are available in a wide range of colors (solid or translucent) to match application requirements.



1. The perfect match of durometer, shape and color.

Available in a durometer range of 20-80 Shore A, the silicone housing seal can be made with the hardness that best matches the requirements of plastic or metal housing applications. Min To Max can produce the most complex sealing shapes, as well as color match silicone materials in solid or translucent colors.

2. Advanced manufacturing processes for cost-effective solutions.

Min To Max 's LIM (liquid injection molding) systems provide consistent, high-quality and cost-effective housing seals virtually flash-free. We utilize the latest compression and transfer molding technologies to meet your requirements.













3. Fast prototypes and design engineering assistance.

In-house tooling capabilities and an experienced design engineering staff allow Min To Max to deliver housing seal prototypes fast. Our engineers have expertise in polymer technology – with a particular emphasis on silicone – as well as plastics, metals and other materials to assist you in creating the right housing seal solution for your application.













4. Seal it right from Min To Max.

Allowing for direct communication with a knowledgeable sales team and design engineers in one place, Min To Max has the capabilities to meet all your seal requirements. Call or visit Mintomaxseal.com today for more information.















PRODUCT (EXAMPLE)	ID	PART NUMBER	MATERIAL	HARDNESS SHORE [°] A [°]	COLOR	L	W	I
	W001	7165-1647	SILICONE	40±2	LT BLUE	7.05±0.2	2.8±0.2	1.05±0.15
	W002	7165-1647	SILICONE	40±2	BLACK	7.35	2.85	0.95
	W003	7158-3168-80	SILICONE	40±2	DK BROWN	5.9±0.2	5.75±0.2	1.65±0.2
	W004	7158-3167-80	SILICONE	40±2	ORANGE	6.5±0.2	2.8±0.2	0.9±0.1
	W005	7165-0815	SILICONE	40±2	DK GRAY	7.26±0.2	1.2±0.2	0.9±0.1
	W008	7158-3166-60	SILICONE	40±2	GREEN	/	/	/
	W009	963530-1	SILICONE	35±2	GRAY	7.6±0.2	3.9±0.2	1.01±0.15
	W011	963530-2	SILICONE	40±2	YELLOW	/	/	/
	W012	964971-1	SILICONE	35±2	ROSE RED	7.6±0.2	3.9±0.2	0.81±0.15
	W014	967067-1	SILICONE	40±2	GREEN	8.5±0.15	4.1±0.15	1±0.15
	W015	184139-1	SILICONE	40±2	LT BLUE	/	/	/
	W016	7165-0621	SILICONE	40±2	LT GREEN	5.6	4	1














PRODUCT (EXAMPLE)	ID	PART NUMBER	MATERIAL	HARDNESS SHORE [°] A [°]	COLOR	L	W	I
	W017	184140-1	SILICONE	40±2	ORANGE	7.45±0.3	4.8±0.2	1.3±0.2
	W018	7165-0622	SILICONE	40±2	VIOLET	5.7	4.1	/
	W019	85901002010	SILICONE	40±2	LT GREEN	/	/	/
	W020	184141-1	SILICONE	40±2	PURPLE	7.45±0.3	4.7±0.2	1.9±0.2
	W021	7158-3070-80	SILICONE	40±2	DK BROWN	8.1	3.9	/
	W022	794758-1	SILICONE RUBBER	40±2	BLUE	5.2±0.1	4±0.1	/
	W023	7157-3970-90-1 7165-0063	SILICONE RUBBER	40±2	LT BLUE	6.9	5	1
	W024	RFW-W-D050	SILICONE RUBBER	40±2	LT BLUE	16.1	5.2	/
	W025	RFW-W-D125	SILICONE RUBBER	40±2	GREEN	16.1	5.2	/
	W026	RFW-W-D200	SILICONE RUBBER	40±2	GRAY	16.1	5.2	/
	W027	1928301085	SILICONE	40±2	ORANGE	/	/	/
		172888-1	NBR	38±2	GRAY	7.8±0.5	5.1±0.2	0.17±0.2

PRODUCT (EXAMPLE)	ID	PART NUMBER	MATERIAL	HARDNESS SHORE "A"	COLOR	L	W	I
	W029	347874-1	SILICONE RUBBER	40±2	GREEN	7.8	5.1	/
	W030	7165-0385	SILICONE	40±2	GRAY	6.4	5	/
	W031	7165-0118	SILICONE	40±2	DK BLUE	6.5±0.2	4.9±0.2	1.25±0.2
	W032	172746-1	SILICONE	40±2	BLACK	7.8±0.2	4.81±0.2	1.2±0.2
	W033	/	/	/	/	/	/	/
	W034	7165-0347	SILICONE	40±2	DK GREEN	11.7	8	2.3
	W035	7165-0842	SILICONE	40±2	DK BLUE	8.5	5.7	1.1
	W036	7157-3646	SILICONE	40±2	LT BROWN	6±0.2	5.85±0.2	0.95±0.2
	W037	7157-3821	SILICONE	40±2	DK GREEN	5.8	5.7	/
	W038	7158-3007-10	SILICONE	40±2	GRAY	8.5	5.7	/
	W039	85901002215	SILICONE	40±2	BROWN	/	/	/
	W040	7165-0346	SILICONE	40±2	BROWN	11.7	8	/















PRODUCT (EXAMPLE)	ID	PART NUMBER	MATERIAL	HARDNESS SHORE "A"	COLOR	L	W	I
	W041	7165-6430	SILICONE	40±2	WHITE	7.6±0.2	5.65±0.2	1.45±0.15
	W042	15398857	SILICONE	40±2	GRAY	/	/	/
	W043	828905-1 1928300600	SILICONE	40±2	WHITE	7.8	5.6	1.6
	W044	7165-0349	SILICONE	40±2	BROWN	8.7±0.2	5.6±0.2	1.5±0.15
	W045	7165-0395	SILICONE	40±2	DK GREEN	8.5	5.7	/
	W046	7165-0351	SILICONE	40±2	DK GRAY	8.5	5.7	/
	W047	7165-0076-5-7-A	SILICONE	40±2	BRICK RED	6±0.2	5.71±0.2	1±0.15
	W048	7165-0076-5-7	SILICONE	40±2	GREEN	6±0.2	5.7±0.2	1±0.15
	W049	7165-0471	SILICONE	40±2	LT GREEN	7	5.4	/
	W050	680604	SILICONE	40±2	BLACK	5.8	5.7	/
	W051	7157-3951-60	SILICONE	40±2	GREEN	7.75	3.8	/
	W052	7157-3950-80	SILICONE	40±2	ORANGE	7.75	3.8	/



PRODUCT (EXAMPLE)	ID	PART NUMBER	MATERIAL	HARDNESS SHORE "A"	COLOR	L	W	I
	W053	16120026	SILICONE	40±2	LT GREEN	6.5±0.2	6±0.2	1.5±0.2
	W054	7158-3030-50	SILICONE	35±2	RED	6.8±0.1	5.45±0.1	1±0.05
	W055	172888-2	SILICONE	40±2	GRAY	7.8±0.5	5.1±0.2	1.7±0.2
	W056	1-368280-1	SILICONE	40±2	ROSE RED	7.65±0.2	4.8±0.2	1.3±0.2
	W057	1-368889-1	SILICONE	40±2	BLUE	7.45±0.2	4.8±0.2	0.9±0.2
	W058	MG680448	SILICONE	40±2	GREEN	5.95±0.2	7.45±0.2	0.85±0.2
	W059	15366021	SILICONE	40±2	WHITE	6±0.2	4.5±0.2	0.95±0.2
	W060	15366066	SILICONE	40±2	YELLOW	6±0.2	6.4±0.2	1.35±0.2
	W061	15366065	SILICONE	40±2	DK BLUE	5.8±0.2	6.4±0.2	0.9±0.2
	W062	828904-1	SILICONE	40±2	LT BLUE	7.5±0.2	5.7±0.2	0.8±0.2
	W063	828905-1 1928300600	SILICONE	40±2	WHITE	7.5±0.2	5.6±0.2	1.6±0.2
	W064	7165-1635	SILICONE	40±2	GREEN	10	4.9	/








PRODUCT (EXAMPLE)	ID	PART NUMBER	MATERIAL	HARDNESS SHORE "A"	COLOR	L	W	I
	W065	15324974	SILICONE	40±2	BLUE	7.5	5.75±0.2	3.45
	W066	281934-2	SILICONE	40±2	YELLOW	7.5±0.2	6.1±0.2	1.4±0.2
	W067	281934-3	SILICONE	40±2	RED	7.5±0.2	6.1±0.2	1.8±0.2
	W068	281934-4	SILICONE	40±2	GREEN	7.5±0.2	6.1±0.2	1±0.2
	W071	161225	SILICONE	40±2	BLACK	/	/	/
	W072	828920-1	SILICONE	40±2	LT GRAY	7.5±0.2	3.9±0.2	1.2±0.2
	W073	15366022	SILICONE	40±2	GREEN	/	/	/
	W074	15305351	SILICONE	40±2	LT YELLOW	/	/	/
	W075	7165-0200	SILICONE	40±2	PURPLE	5.85±0.2	4.9±0.2	1.2±0.15
	W076	7165-1619	SILICONE	40±2	BLUE	7.6±0.2	5.6±0.2	0.9±0.15
	W077	7165-1655	SILICONE	40±2	GREEN	10	5.9	/
	W078	963292-1	SILICONE	40±2	YELLOW	7.6±0.2	5.65±0.2	2.15±0.2















PRODUCT (EXAMPLE)	ID	PART NUMBER	MATERIAL	HARDNESS SHORE "A"	COLOR	L	W	I
	W079	368932-1	SILICONE	40±2	BLUE	7.5±0.2	5.8±0.2	0.86±0.2
	W080	368933-1	SILICONE	40±2	WHITE	7.5±0.2	5.8±0.2	1.4±0.2
	W081	963294-1	SILICONE	40±2	BLUE	7.8	5.65±0.15	0.8±0.15
	W082	16695.627.619	SILICONE	40±2	ORANGE	/	/	/
	W085	7158-3113-40	SILICONE	40±2	WHITE	8.7±0.2	6.9±0.2	1.7±0.2
	W086	172747-1	SILICONE	40±2	BLACK	9.8±0.5	8.9±0.2	2.3±0.2
	W089	/	SILICONE	40±2	BLACK	/	/	/
	W093	7165-2080	SILICONE	40±2	BLACK	8.7±0.2	7.95±0.2	1.6±0.15
	W094	7165-6120	SILICONE	40±2	BLACK	/	/	/
	W095	85024-1	SILICONE	40±2	GRAY	9.2±0.2	8±0.2	1.35±0.2
	W096	15324983	SILICONE	40±2	BRICK RED	/	/	/
	W097	15324985	SILICONE	40±2	PURPLE	/	/	/






PRODUCT (EXAMPLE)	ID	PART NUMBER	MATERIAL	HARDNESS SHORE ² A ³	COLOR	L	W	I
	W098	12015323 15324982	SILICONE	40±2	GREEN	/	/	/
	W099	71573858-60	SILICONE	40±2	DK GREEN	/	/	/
	W100	7158-3015-10	SILICONE	40±2	GRAY	11.7	8	/
	W102	347713-1	SILICONE	40±2	YELLOW	9.8	9.3	4
	W103	7157-3577-90	SILICONE	40±2	DK BLUE	9.3	9.3	2.4
	W104	QLW-W-300	SILICONE	40±2	BLUE	7.7	9.7	/
	W105	/	SILICONE	40±2	BLACK	/	/	/
	W107	7157-3586-60	SILICONE	40±2	GREEN	9.2	13.5	5.5
	W108	15324991	SILICONE	40±2	YELLOW	/	/	/
	W109	963244-1	SILICONE	40±2	WHITE	8.2±0.2	8.2±0.2	1.5±0.2
	W110	7157-3756-60	SILICONE	40±2	DK GREEN	9.3	5.2	1.4
	W111	60992607	SILICONE	40±2	GREEN	6.6±0.2	7.6±0.2	0.9±0.2















PRODUCT (EXAMPLE)	ID	PART NUMBER	MATERIAL	HARDNESS SHORE "A"	COLOR	L	W	I
	W112	60993301	SILICONE	40±2	BLACK	/	/	/
	W113	15321726	SILICONE	40±2	BRICK RED	12	8.5	2.7
	W114	15324996	SILICONE	40±2	BLUE	7.6±0.2	10.3±0.2	3.1±0.2
	W115	1928301086 1394512-1	SILICONE	40±2	DK BLUE	8±0.2	9±0.2	2.8±0.2
	W116	963245-1	SILICONE	40±2	YELLOW	8.2±0.2	8.2±0.2	2.7±0.15
	W117	1544316-1	SILICONE	40±2	LT GREEN	/	/	/
	W118	7158-3035	SILICONE	40±2	WHITE	12±0.1	13.58±0.1	3.25±0.05
	W119	020-01050	SILICONE	40±2	BROWN	6.1±0.2	3±0.2	0.8±0.2
	W120	EU020-00030	SILICONE	40±2	LT GREEN	/	/	/
	W121	M351-50176	SILICONE	40±2	LT GREEN	4	6.4	1
	W122	12176807	SILICONE	40±2	RED	/	/	/
	W123	12191155	SILICONE	40±2	GREEN	/	/	/















PRODUCT (EXAMPLE)	ID	PART NUMBER	MATERIAL	HARDNESS SHORE "A"	COLOR	L	W	I
	W124	MENS7814137	SILICONE	40±2	RED	/	/	/
	W125	R5901105845	SILICONE	40±2	BRICK RED	7.75±0.15	5.5±0.12	1.2±0.1
	W126	RE-014WS	SILICONE	40±2	BRICK RED	/	/	/
	W127	/	SILICONE	40±2	BLACK	/	/	/
	W128	7165-0210	SILICONE	40±2	RED	6.1	5	/
	W129	C-316867	SILICONE	40±2	BLACK	/	/	/
	W130	3299571G9	SILICONE	40±2	GREEN	/	/	/
	W132	/	SILICONE	40±2	RED	/	/	/
	W133	7165-33541A	SILICONE	40±2	BLUE	/	/	/
	W134	/	SILICONE	40±2	BROWN	/	/	/
	W135	/	SILICONE	40±2	BRICK RED	/	/	/
	W137	/	SILICONE	40±2	RED	8.13	8.7	3.5















PRODUCT (EXAMPLE)	ID	PART NUMBER	MATERIAL	HARDNESS SHORE "A"	COLOR	L	W	I
	W138	RE-013WS	SILICONE	40±2	DK RED	/	/	/
	W139	FD47-14	SILICONE	40±2	BLACK	/	/	1.2
	W140	MFD-006	SILICONE	40±2	LT YELLOW	7	5.4	/
	W141	MG681114	SILICONE	40±2	BLUE	/	/	/
	W142	RE-012WS	SILICONE	40±2	RED	/	/	/
	W143	0809	SILICONE	40±2	BLUE	/	/	/
	W144	RS220-01100	SILICONE	40±2	GREEN	8.1	5.3	1.4
	W145	RS220-03100	SILICONE	40±2	PURPLE	/	/	/
	W146	RS220-04100	SILICONE	40±2	BROWN	/	/	/
	W147	7814140	SILICONE	40±2	BLUE	/	/	/
	W148	7814141	SILICONE	40±2	BRICK RED	/	/	/
	W149	MG680449	SILICONE	40±2	BLACK	/	/	/



























PRODUCT (EXAMPLE)	ID	PART NUMBER	MATERIAL	HARDNESS SHORE "A"	COLOR	L	W	I
	W151	MG680713	SILICONE	40±2	ORANGE	/	/	/
	W153	GV-001	SILICONE	40±2	BRICK RED	8	5.8	1
	W154	SL06	SILICONE	40±2	BLUE	/	/	/
	W158	15366060	SILICONE	40±2	BLUE	/	/	/
	W159	C-STDCSB	SILICONE	40±2	GREEN	5.9	5.8	1
	W160	132000-1	SILICONE	40±2	LT GREEN	/	/	/
	W161	SUMI-SL3	SILICONE	40±2	ORANGE	/	/	/
	W162	/	SILICONE	40±2	BLUE	6.35±0.2	5.4±0.2	1.3±0.2
	W163	ZBN-002	SILICONE	40±2	BRICK RED	/	/	/
	W164	368299-1	SILICONE	40±2	GRAY	7.8	5.4	2
	W166	/	SILICONE	40±2	PURPLE	/	/	/
	W167	7158-3113-40-A	SILICONE	40±2	WHITE	/	/	/



PRODUCT (EXAMPLE)	ID	PART NUMBER	MATERIAL	HARDNESS SHORE "A"	COLOR	L	W	I
	W169	/	SILICONE	40±2	BRICK RED	/	/	/
	W170	/	SILICONE	40±2	YELLOW	/	/	/
	W171	/	SILICONE	40±2	BLACK	/	/	/
	W172	/	SILICONE	40±2	BRICK RED	/	/	/
	W173	/	SILICONE	40±2	GRAY	/	/	/
	W174	/	SILICONE	40±2	BLACK	/	/	/
	W175	/	SILICONE	40±2	BRICK RED	/	/	/
	W176	/	SILICONE	40±2	BRICK RED	/	/	/
	W177	/	SILICONE	40±2	BLACK	/	/	/
	W178	/	SILICONE	40±2	BLACK	/	/	/
	W179	/	SILICONE	40±2	BRICK RED	/	/	/
	W180	MG680953	SILICONE	40±2	GRAY	10±0.2	11.8±0.2	2.01±0.2















PRODUCT (EXAMPLE)	ID	PART NUMBER	MATERIAL	HARDNESS SHORE "A"	COLOR	L	W	I
	W182	/	SILICONE	40±2	BLACK	/	/	/
	W187	/	SILICONE	40±2	YELLOW	/	/	/
	W189	RS610-03100	SILICONE	40±2	VIOLET	7	5.4	/
	W190	MG680714	SILICONE	40±2	GREEN	/	/	/
	W191	7157-3976-60	SILICONE	40±2	LT GREEN	9.15	/	/
	W192	0-1544664-2	SILICONE	50±2	ORANGE	/	/	/
	W194	08.004.00	SILICONE	40±2	BLACK	4.81	4.3	1
	W195	/	SILICONE	40±2	BLUE	5.45	4.35	0.8
	W198	/	SILICONE	40±2	YELLOW	/	/	/
	W199	/	SILICONE	40±2	BRICK RED	/	/	/
	W200	/	SILICONE	40±2	BRICK RED	/	/	/
	W201	/	SILICONE	40±2	DK BLUE	/	/	/

PRODUCT (EXAMPLE)	ID	PART NUMBER	MATERIAL	HARDNESS SHORE "A"	COLOR	L	W	I
	W202	/	SILICONE	40±2	DK ORANGE	/	/	/
	W203	7158-3120-90	SILICONE	40±2	BLUE	7.95	3.8	/
	W204	7158-3121-80	SILICONE	40±2	LT ORANGE	7.95	3.8	/
	W205	7165-0474	SILICONE	40±2	LT ORANGE	7	5.4	/
	W206	7165-1198	SILICONE	40±2	LT GREEN	7.4	2.9	/
	W207	7165-1634	SILICONE	50±2	ORANGE	10	4.9	/
	W208	7165-1636	SILICONE	40±2	BROWN	10	4.9	/
	W209	7165-1652	SILICONE	40±2	BLUE	10	5.9	/
	W210	7165-1653	SILICONE	40±2	LT BLUE	10	5.9	/
	W211	7165-1656	SILICONE	40±2	YELLOW	10	5.9	/
	W212	R5901001110	SILICONE	40±2	LT GREEN	/	/	/
	W213	MG680954-A	SILICONE	40±2	BLACK	/	/	/




PRODUCT (EXAMPLE)	ID	PART NUMBER	MATERIAL	HARDNESS SHORE "A"	COLOR	L	W	I
	W214	963293-1	SILICONE	40±2	BRICK RED	/	/	/
	W215	828985-1	SILICONE	40±2	GREEN	/	/	/
	W216	7165-1666	SILICONE	40±2	BLACK	/	/	/
	W220	7158-3082-90	SILICONE	40±2	BLUE	10.7	9.8	/
	W221	7158-3374-90	SILICONE	40±2	LT GREEN	/	/	/
	W222	7160-3367	SYNTHETIC RUBBER	40±2	GRAY	6.8	11.7	/
	W223	7165-0041	SILICONE	40±2	BLACK	7.4	6.5	/
	W225	7165-0133	NBR	40±2	BLACK	10	11.5	/
	W226	7165-0473	SILICONE	40±2	LT GREEN	7	5.4	/
	W227	7165-0515	SILICONE	40±2	GRAY	8.3	4.7	/
	W228	7165-0516	SILICONE	40±2	BLACK	8.3	4.7	/
	W229	7165-0548	SILICONE	40±2	BLUE	7.4	4	/















PRODUCT (EXAMPLE)	ID	PART NUMBER	MATERIAL	HARDNESS SHORE "A"	COLOR	L	W	I
	W230	85011-1	NBR	40±2	BLACK	9±0.5	7.9±0.2	2.8±0.2
	W232	963142-2	SILICONE	40±2	GRAY	8.6	4.7±0.15	2.6
	W234	963243-1	SILICONE	40±2	BLUE	8.5	8.2	2.5±0.2
	W235	1355437-1	SILICONE	40±2	LT PURPLE	17	17.5	/
	W236	1393457-4	SILICONE	40±2	BRICK RED	9.15	5.7±0.1	/
	W237	1394133-1	SILICONE	40±2	BLUE	7.8	4±0.1	0.8
	W238	1544316-2	SILICONE	40±2	ORANGE	/	/	/
	W239	2822352-1	NBR	40±2	BLACK	7.8±0.5	5.1±0.2	/
	W241	10737671	SILICONE	40±2	RED	/	/	/
	W243	12059259	SILICONE	40±2	BROWN	/	/	/
	W244	12059260	SILICONE	40±2	BLUE	/	/	/
	W245	12089442	SILICONE	40±2	WHITE	/	/	/















PRODUCT (EXAMPLE)	ID	PART NUMBER	MATERIAL	HARDNESS SHORE "A"	COLOR	L	W	I
	W246	12191232	SILICONE	40±2	ORANGE	/	/	/
	W248	15324976	SILICONE	40±2	WHITE	/	/	/
	W249	15324988	SILICONE	40±2	WHITE	/	/	/
	W250	15327860	SILICONE	40±2	BLUE	/	/	/
	W251	15327864	SILICONE	40±2	BRICK RED	/	/	/
	W252	15327918	SILICONE	40±2	GRAY	/	/	/
	W253	15339967	SILICONE	40±2	BLUE	/	/	/
	W254	15344324	SILICONE	40±2	BRICK RED	/	/	/
	W255	15363779	SILICONE	40±2	YELLOW	/	/	/
	W256	15366067	SILICONE	40±2	LT BROWN	/	/	/
	W257	MG680157	SILICONE	40±2	BLACK	/	/	/
	W258	MG680451	SILICONE	40±2	DK BLUE	/	/	/













PRODUCT (EXAMPLE)	ID	PART NUMBER	MATERIAL	HARDNESS SHORE "A"	COLOR	L	W	I
	W259	MG680524	SILICONE	40±2	BBLACK	/	/	/
	W260	MG681367	SILICONE	40±2	BRICK RED	/	/	/
	W261	MG681370	SILICONE	40±2	GRAY	/	/	/
	W262	MG681474-2	SILICONE	40±2	DK BLUE	/	/	/
	W264	964972-1	SILICONE	50±2	YELLOW	/	/	/
	W265	/	SILICONE	40±2	BLUE	6.6	5	1.5
	W266	/	SILICONE	40±2	BLUE	7.5	5.2	1.5
	W267	/	SILICONE	40±2	YELLOW	7.7	5.2	1.5
	W271	/	SILICONE	40±2	BRICK RED	7.5	5.6*3.2	1.5
	W272	/	SILICONE	40±2	GREEN	7.8	6.6	1.5
	W273	/	SILICONE	40±2	BROWN	6.5±0.2	5	1.5
	W274	/	SILICONE	40±2	LT RED	6.8	4.9	2.4















PRODUCT (EXAMPLE)	ID	PART NUMBER	MATERIAL	HARDNESS SHORE "A"	COLOR	L	W	I
	W275	/	SILICONE	40±2	BBLACK	6.8	4.9	2.4
	W276	/	SILICONE	40±2	GRAY	7.5	3.9	1.5
	W277	/	SILICONE	40±2	LT YELLOW	7.9	8.7	3.7
	W278	/	SILICONE	40±2	GRAY	9.3	8	2.6
	W280	/	SILICONE	50±2	BLACK	12.1	11.2	4.5
	W281	/	SILICONE	40±2	OLIVE GREEN	9.5	8	1.3
	W282	/	SILICONE	40±2	VIOLET	7.6	5.3	1.9
	W283	/	SILICONE	40±2	OLIVE GREEN	7.2	5.8*4.8	2.1
	W284	/	SILICONE	40±2	BLUE	6	4.8	1.6
	W286	/	SILICONE	40±2	RED	6.9	5	2.1
	W287	/	SILICONE	40±2	WHITE	8	8	1.6
	W288	/	SILICONE	40±2	YELLOW	7.3	5.6	1.5















PRODUCT (EXAMPLE)	ID	PART NUMBER	MATERIAL	HARDNESS SHORE "A"	COLOR	L	W	I
	W289	/	SILICONE	40±2	BROWN	7.7	5.8*4.9	2.5
	W290	/	SILICONE	40±2	AQUA BLUE	7.5	5.7	1.5
	W292	/	SILICONE	40±2	BLACK	6	6.3	2
	W293	/	SILICONE	40±2	BLACK	7.6	4.6	1.3
	W294	/	SILICONE	50±2	WHITE	5.6	4.3	1.2
	W295	/	SILICONE	40±2	VIOLET	5.9	5.3	1.3
	W297	/	SILICONE	40±2	WHITE	5.5	5.5	1.6
	W298	/	SILICONE	40±2	RED	7.5	5.9	1.9
	W299	/	SILICONE	40±2	YELLOW	7.5	5.9	1.9
	W300	/	SILICONE	40±2	LT GREEN	5.3	5.3	2.3
	W302	/	SILICONE	40±2	LT GREEN	6.3	3.9	1
	W303	/	SILICONE	40±2	LT GREEN	7.2	9.5	4.3















PRODUCT (EXAMPLE)	ID	PART NUMBER	MATERIAL	HARDNESS SHORE "A"	COLOR	L	W	I
	W305	/	SILICONE	40±2	GREEN	5.4	5.9	1.4
	W306	/	SILICONE	40±2	BROWN	6.6	4.8	2
	W308	/	SILICONE	40±2	GRAY	7.3	11.5	3
	W309	/	SILICONE	40±2	DK BLUE	6.4	4.7	1.9
	W310	/	SILICONE	50±2	BROWN	8.3	5.7	1.2
	W311	/	SILICONE	40±2	BLUE	8.3	5.7	1.2
	W312	/	SILICONE	40±2	BLACK	6.2	3.9	1.6
	W313	/	SILICONE	40±2	LT GREEN	7.8	6.1	1.1
	W314	/	SILICONE	40±2	BLACK	7.5	15.3	1.8
	W316	/	SILICONE	40±2	ORANGE	7	5.3	2
	W317	/	SILICONE	40±2	BLACK	9.4	9.7	2.5
	W318	/	SILICONE	40±2	LT GREEN	7	5.3	1.9



PRODUCT (EXAMPLE)	ID	PART NUMBER	MATERIAL	HARDNESS SHORE "A"	COLOR	L	W	I
	W319	/	SILICONE	40±2	BLUE	8	4	1.2
	W320	/	SILICONE	40±2	AQUA BLUE	9.5	8	1.7
	W321	/	SILICONE	40±2	YELLOW	6.5	3.4	1.3
	W322	/	SILICONE	40±2	BRICK RED	6.7	5.7	2.1
	W323	/	SILICONE	50±2	BLACK	6.7	5.7	2.1
	W324	/	SILICONE	40±2	GREEN	8.8	8	2
	W325	/	SILICONE	40±2	BLACK	8	7.1	1.8
	W328	/	SILICONE	40±2	LT YELLOW	8.2	8.7	2.6
	W329	/	SILICONE	40±2	BLACK	7.1	7.2	2.3
	W330	/	SILICONE	40±2	LT GREEN	7.5	7.25	2.5
	W331	/	SILICONE	40±2	LT GREEN	5.6	4	1.2
	W332	/	SILICONE	40±2	BLACK	5.6	4	1.2















PRODUCT (EXAMPLE)	ID	PART NUMBER	MATERIAL	HARDNESS SHORE "A"	COLOR	L	W	I
	W333	/	SILICONE	40±2	YELLOW	7.8	6.1	1
	W334	/	SILICONE	40±2	YELLOW	7.8	6.1	1.4
	W335	/	SILICONE	40±2	BLACK	7.8	6.1	1.4
	W336	/	SILICONE	40±2	YELLOW	7.8	6.1	1.8
	W337	/	SILICONE	50±2	YELLOW	7	5.8	1.9
	W338	/	SILICONE	40±2	YELLOW	6.3	4.8	2.8
	W339	/	SILICONE	40±2	LT GREEN	8.8	8	2
	W340	/	SILICONE	40±2	AQUA BLUE	7.9	5.6	1
	W341	/	SILICONE	40±2	BLACK	8.7	8	1.8
	W342	/	SILICONE	40±2	RED	9.4	9.7	2.5
	W344	/	SILICONE	40±2	GRAY	7.7	7.2	1.9
	W345	/	SILICONE	40±2	BLUE	7.9	5.6	1






PRODUCT (EXAMPLE)	ID	PART NUMBER	MATERIAL	HARDNESS SHORE "A"	COLOR	L	W	I
	W346	/	SILICONE	40±2	GRAY	7.6	4.8	1.9
	W347	/	SILICONE	40±2	RED	7.6	4.8	2
	W348	/	SILICONE	40±2	BLACK	7.1	5.5	1.5
	W349	/	SILICONE	40±2	YELLOW	7.5	5.7	1.5
	W350	/	SILICONE	50±2	LT YELLOW	7.8	6.1	1.4
	W351	/	SILICONE	40±2	BLUE	7.7	5.7	1
	W352	/	SILICONE	40±2	BROWN	9.7	9.5	1.3
	W354	/	SILICONE	40±2	LT GREEN	7.5	7.25	1.4
	W355	/	SILICONE	40±2	BLACK	7.5	7.25	1.4
	W356	/	SILICONE	40±2	WHITE	7.8	5.6	1.5
	W357	/	SILICONE	40±2	BLACK	7.8	5.6	1.5
	W358	/	SILICONE	40±2	BLACK	7	16.9	2





PRODUCT (EXAMPLE)	ID	PART NUMBER	MATERIAL	HARDNESS SHORE "A"	COLOR	L	W	I
	W359	/	SILICONE	40±2	BLACK	6.7	7.4	2
	W360	/	SILICONE	40±2	DK BLUE	8.3	9.2	2.4
	W361	/	SILICONE	40±2	BLACK	7.8	6.1	1.8
	W362	/	SILICONE	40±2	LT GRAY	8.3	5.7	2
	W363	/	SILICONE	50±2	BLACK	6	5.7	1.4
	W364	/	SILICONE	40±2	DK BROWN	8.3	5.7	1.2
	W366	/	SILICONE	40±2	BRICK RED	7.8	3.9	1.5
	W367	/	SILICONE	40±2	LT GREEN	7.8	3.9	1
	W368	/	SILICONE	40±2	BLACK	9.8	8.9	1.6
	W369	/	SILICONE	40±2	BLACK	32.4	7	1.7
	W370	/	SILICONE	40±2	BLACK	15	6.6	3
	W371	/	SILICONE	40±2	DK BLUE	7.8	6.1	1.4

PRODUCT (EXAMPLE)	ID	PART NUMBER	MATERIAL	HARDNESS SHORE ² A ³	COLOR	L	W	I
	W372	/	SILICONE	40±2	LT GREEN	5.8	5.7	1.3
	W373	/	SILICONE	40±2	BLACK	5.8	5.7	1.3
	W375	/	SILICONE	40±2	LT GREEN	7.1	7.2	2.3
	W377	/	SILICONE	40±2	BLACK	6.1	7.5	1.7
	W379	/	SILICONE	50±2	LT GREEN	7.5	5.9*4.9	1.35
	W380	/	SILICONE	40±2	BLACK	6.2	5.4	2.1
	W381	/	SILICONE	40±2	GRAY	8.7	8	1.4
	W382	/	SILICONE	40±2	ORANGE	7.3	4.9	1.6
	W383	/	SILICONE	40±2	BLACK	6.6	15.2	2.2
	W386	/	SILICONE	40±2	BLACK	7.5	7.25	1.2
	W387	/	SILICONE	40±2	BLACK	7.8	6.1	1
	W388	/	SILICONE	40±2	BLACK	6.6	5.4	2















PRODUCT (EXAMPLE)	ID	PART NUMBER	MATERIAL	HARDNESS SHORE ² A ³	COLOR	L	W	I
	W389	/	SILICONE	40±2	BLACK	6.6	5.4	1.5
	W391	/	SILICONE	40±2	BLACK	5.9	5.7	1.2
	W392	/	SILICONE	40±2	DK BLUE	7.8	9.5	2.5
	W393	/	SILICONE	40±2	BRICK RED	7.5	5.7*3.1	1.8
	W394	/	SILICONE	50±2	BLACK	8	7.6	1.9
	W395	/	SILICONE	40±2	DK GREEN	10	6	2.2
	W397	/	SILICONE	40±2	RED	7.8	5.6	1.5
	W398	/	SILICONE	40±2	BLACK	7.3	6.45	2.2
	W399	/	SILICONE	40±2	LT GREEN	7.6	6*3.7	1.6
	W400	/	SILICONE	40±2	GRAY	7.1	5.4	1.9
	W401	/	SILICONE	40±2	BLACK	6.2	5.3	3.6
	W402	/	SILICONE	40±2	BLACK	7.7	6.6	2.2













PRODUCT (EXAMPLE)	ID	PART NUMBER	MATERIAL	HARDNESS SHORE "A"	COLOR	L	W	I
	W403	/	SILICONE	40±2	BLACK	6	5.7	1.2
	W404	/	SILICONE	40±2	DK VIOLET	5.7	5.15	1.35
	W406	/	SILICONE	40±2	BROWN	6.5	5	1.5
	W407	/	SILICONE	40±2	BLACK	6.2	5.5	2.3
	W408	/	SILICONE	50±2	BLACK	6.4	3.9	2.5
	W409	/	SILICONE	40±2	GRAY	8.8	8	2
	W410	/	SILICONE	40±2	BLACK	7.2	5.6	2
	W411	/	SILICONE	40±2	BLACK	10.8	9.2	1.7
	W412	/	SILICONE	40±2	BLACK	6.1	5.75	1.7
	W413	/	SILICONE	40±2	BLACK	6	6	1.5
	W414	/	SILICONE	40±2	BLACK	6.3	5.8	1.9
	W415	/	SILICONE	40±2	BLUE	7.9	5.6	1

PRODUCT (EXAMPLE)	ID	PART NUMBER	MATERIAL	HARDNESS SHORE "A"	COLOR	L	W	I
	W416	/	SILICONE	40±2	LT GREEN	7.3	7.3	2
	W418	/	SILICONE	40±2	BLACK	7.3	4.9	1.6
	W420	/	SILICONE	40±2	BLACK	7	5.4	1.9
	W421	/	SILICONE	40±2	GRAY	9.3	8	2.6
	W422	/	SILICONE	50±2	BLACK	9.6	9.7	2
	W423	/	SILICONE	40±2	BLACK	7.4	6.5	1.9
	W424	/	SILICONE	40±2	BLACK	9.4	9.7	2.5
	W425	/	SILICONE	40±2	LT GREEN	5.9	5.7	1.2
	W426	/	SILICONE	40±2	BLACK	5.8	5.7	1.2
	W427	/	SILICONE	40±2	LT GREEN	8.1	6*3.6	1.6
	W428	/	SILICONE	40±2	BROWN	6.6	4.8	2
	W429	/	SILICONE	40±2	YELLOW	6.6	4.8	2















PRODUCT (EXAMPLE)	ID	PART NUMBER	MATERIAL	HARDNESS SHORE "A"	COLOR	L	W	I
	W430	/	SILICONE	40±2	BRICK RED	7.1	4.1	1.3
	W432	1928300600	SILICONE	40±2	WHITE	7.8	5.6	2
	W433	1928300936	SILICONE	40±2	DK YELLOW	7.5	3.9	1.5
	W434	1-1437713-3	SILICONE	40±2	BLUE	6.8	5.7	2.1
	W435	1-1437713-2	SILICONE	40±2	RED	6.5	5.7	1.4
	W436	211M0010	SILICONE	40±2	BLUE	6.8	5.7	2.1
	W437	357 972 741 B	SILICONE	40±2	DK YELLOW	7.9	5.7	2
	W438	357 972 744	SILICONE	40±2	DK ORANGE	15.6	16.2	3.25
	W439	357 972 744 A	SILICONE	40±2	LT BLUE	15.6	16.2	3.85
	W441	7157-3560	SILICONE	40±2	BLACK	7.4	6.5	1.9
	W442	7157-3561-80	SILICONE	40±2	BRICK RED	7.4	6.5	1.9
	W443	7157-3570	SILICONE	40±2	BLACK	9.6	9.7	2



PRODUCT (EXAMPLE)	ID	PART NUMBER	MATERIAL	HARDNESS SHORE "A"	COLOR	L	W	I
	W444	7157-3580-60	SILICONE	40±2	FLUORESCENT GREEN	8.8	13.5	2.5
	W446	7157-3790-90	SILICONE	40±2	AQUA BLUE	6.8	5	1.6
	W447	7157-3857-60	SILICONE	40±2	GRASS GREEN	5.9	5.7	1.2
	W448	7157-3920-40	SILICONE	40±2	GRAY	5.5	5.1*2.6	1.4
	W450	7158-3004-40	SILICONE	40±2	GRAY	8.5	5	1.6
	W452	7165-0076	SILICONE	40±2	LT GREEN	5.8	5.7	1.3
	W453	7165-0119	SILICONE	40±2	BROWN	6.6	5	1.9
	W454	7165-0132	SILICONE	40±2	GRAY	10	11.4	2.6
	W455	7165-0208	SILICONE	40±2	DK BLUE	5.8	5	1.3
	W456	7165-0344	SILICONE	40±2	DK BLUE	8.5	4.9	1.7
	W457	7165-0514	SILICONE	40±2	DK GREEN	8.1	4.6	2.3
	W458	7165-0547	SILICONE	40±2	BRICK RED	7.4	4	1.3



PRODUCT (EXAMPLE)	ID	PART NUMBER	MATERIAL	HARDNESS SHORE "A"	COLOR	L	W	I
	W459	7165-0796	SILICONE	40±2	BRICK RED	/	/	/
	W460	7165-1075	SILICONE	40±2	LT ORANGE	5.7	4	1
	W461	7165-1199	SILICONE	40±2	BRICK RED	7.4	2.9	1.05
	W462	7165-1564	SILICONE	40±2	GREEN	8.2	4.6	1.3
	W463	7165-1565	SILICONE	40±2	BLUE	8.2	4.6	1.7
	W464	828921-1	SILICONE	40±2	YELLOW	7.8	6.1	1.4
	W466	10720807	SILICONE	40±2	LT YELLOW	7	4.5	1.6
	W468	10720950	SILICONE	40±2	LT YELLOW	7.8	6.1	1.4
	W469	15324981	SILICONE	40±2	BLUE	7.5	7.25	2.8
	W470	15339560	SILICONE	40±2	RED	7	4.5	1.3
	W471	15344647	SILICONE	40±2	GRAY	7.8	9	3.9
	W472	15363605	SILICONE	40±2	GRASS GREEN	7.8	9	3.2










PRODUCT (EXAMPLE)	ID	PART NUMBER	MATERIAL	HARDNESS SHORE "A"	COLOR	L	W	I
	W473	MG681371	SILICONE	40±2	BLACK	8	8.1	1.9
	W474	MG681372	SILICONE	40±2	DK BLUE	8	8.1	2.4
	W475	RS040-01000	SILICONE	40±2	LT ORANGE	6.3	3.4	1.4
	W476	RS220-02100	SILICONE	40±2	BLUE ASHES	8.1	5.3	1.7
	W478	RS680-02000	SILICONE	40±2	DK BROWN	6.6	4.5	1.6
	W479	7158-3003-90	SILICONE	40±2	BLUE	8.5	4.6	/
	W480	/	SILICONE	40±2	RED	7.8	6.1	1.8
	W481	/	SILICONE	40±2	RED	8.7	4.1	1.2
	W482	/	SILICONE	40±2	GRAY	6.2	4	1.3
	W483	/	SILICONE	40±2	BLACK	7.3	7.3	2
	W484	/	SILICONE	40±2	BLACK	6.6	5.4	2.1
	W486	7158-3031-90	SILICONE	40±2	BLUE	7.1	5.4	/



PRODUCT (EXAMPLE)	ID	PART NUMBER	MATERIAL	HARDNESS SHORE "A"	COLOR	L	W	I
	W487	7158-3165-90	SILICONE	40±2	BLUE	6.6	2.9	/
	W489	7165-0194	SILICONE	40±2	DK GREEN	6.4	5	/
	W490	7165-0432	SILICONE	40±2	BLACK	6	4	/
	W491	368280-1	SILICONE	40±2	RED	/	/	/
	W492	7158-3504-80	SILICONE	40±2	BRICK RED	/	/	/
	W493	7157-3977-50	SILICONE	40±2	FLESH	9.15	/	/
	W494	7158-3111-60	SILICONE	40±2	GREEN	9.05	6.9	5
	W495	7158-3182-20	SILICONE	40±2	DK VIOLET	/	/	/
	W497	7165-0851	SILICONE	40±2	DK GREEN	/	/	/
	W498	178210-1	SILICONE	40±2	BLACK	/	/	/
	W499	368120-2	SILICONE	40±2	GRAY	/	/	/
	W500	963142-1	SILICONE	40±2	BLACK	/	/	/



PRODUCT (EXAMPLE)	ID	PART NUMBER	MATERIAL	HARDNESS SHORE "A"	COLOR	L	W	I
	W501	967067-2	SILICONE	40±2	YELLOW	/	/	/
	W502	13576991	SILICONE	40±2	BLUE	/	/	/
	W503	15339412	SILICONE	40±2	YELLOW	/	/	/
	W504	1719826-7	SILOPREN LSR 3485/35	40±2	GRAY	/	/	/
	W505	2141156-1	SILICONE	40±2	GREEN	/	/	/
	W506	2141156-2	SILICONE	40±2	NATURAL	/	/	/
	W507	12034170	SILICONE	40±2	ORANGE	/	/	/















PRODUCT (EXAMPLE)	ID	PART NUMBER	MATERIAL	HARDNESS SHORE "A"	COLOR	L	W	/
	W006	7165-0797	SILICONE	40±2	LT GRAY	6.5±0.2	2.8±0.2	/
	W007	7158-3169-40	SILICONE	40±2	LT GRAY	6.0±0.2	2.9±0.2	/
	W010	963531-1	SILICONE	40±2	WHITE	7.6±0.2	3.9±0.2	/
	W013	967056-1	SILICONE	40±2	BLUE	8.6±0.2	4.1±0.2	/
	W083	16237.627.626	SILICONE	40±2	BRICK RED	16±0.2	5.8±0.2	2.5±0.2
	W084	828922-1	SILICONE	40±2	NATURAL	7.8	6.1	/
	W087	172748-1	SILICONE	40±2	BLACK	7.65±0.2	4.8±0.2	1.3±0.2
	W088	7165-9787 7157-3382-80	SILICONE	40±2	BROWN	6.5	4.5	/
	W090	7157-8767	SILICONE	40±2	BLACK	/	/	/
	W091	7165-1131	SILICONE	40±2	BLUE	8±0.2	5.45±0.2	/
	W092	7161-9787	SILICONE	40±2	BLACK	6.6±0.2	4.75±0.2	/
	W101	/	SILICONE	40±2	GRAY	/	/	/



PRODUCT (EXAMPLE)	ID	PART NUMBER	MATERIAL	HARDNESS SHORE ² A ³	COLOR	L	W	/
	W106	7157-3571-80	SILICONE	40±2	BRICK RED	9.8	9.8	/
	W131	7160-9465	SILICONE	40±2	BLACK	/	/	/
	W150	MG680715	SILICONE	40±2	BLACK	/	/	/
	W155	FW-W-D1	SILICONE	40±2	YELLOW	/	/	/
	W156	/	SILICONE	40±2	RED	/	/	/
	W157	15305170-B	SILICONE	40±2	WHITE	/	/	/
	W165	024623A	SILICONE	40±2	WHITE	6.7	5.8	/
	W168	/	SILICONE	40±2	BLACK	/	/	/
	W181	12010300	SILICONE	40±2	LT GREEN	/	/	/
	W183	/	SILICONE	40±2	BROWN	/	/	/
	W184	/	SILICONE	40±2	BRICK RED	/	/	/
	W185	M225-50022	SILICONE	40±2	BRICK RED	10	4	/



PRODUCT (EXAMPLE)	ID	PART NUMBER	MATERIAL	HARDNESS SHORE "A"	COLOR	L	W	/
	W186	MG681266	SILICONE	40±2	DK BLUE	/	/	/
	W193	1473234-1	SILICONE	40±2	DK ORANGE	/	/	/
	W196	172748-2	SILICONE	40±2	GRAY	/	/	/
	W197	/	SILICONE	40±2	YELLOW	/	/	/
	W224	7165-0084	6 NYLON SILICONE RUBBER	40±2	WHITE	10.3	4.4	/
	W231	828986-1	SILICONE	40±2	BROWN	7.8	7.3	4.1
	W240	10730124	SILICONE	40±2	GREEN	/	/	/
	W263	7158-3080-60	SILICONE	40±2	GREEN	/	/	/
	W270	/	SILICONE	40±2	YELLOW	7.8	5.2	/
	W285	/	SILICONE	40±2	BLACK	7.8	6	/
	W291	/	SILICONE	40±2	YELLOW	8.4	5.2	/
	W296	/	SILICONE	40±2	BRICK RED	11.4	6*4	/







PRODUCT (EXAMPLE)	ID	PART NUMBER	MATERIAL	HARDNESS SHORE "A"	COLOR	L	W	/
	W301	/	SILICONE	40±2	BRICK RED	10	3.8	/
	W304	/	SILICONE	40±2	VIOLET	5.7	5.1	/
	W307	/	SILICONE	40±2	BLACK	6.4	5.6	/
	W315	/	SILICONE	40±2	BROWN	5.8	4.7	/
	W326	/	SILICONE	40±2	BLACK	9.4	9.7	/
	W343	/	SILICONE	40±2	RED	9.4	9.7	/
	W353	/	SILICONE	40±2	LT GREEN	/	/	/
	W365	/	SILICONE	40±2	BLACK	7.8	3.9	/
	W374	/	SILICONE	40±2	GRAY	5.5	5.1*2.6	/
	W376	/	SILICONE	40±2	BRICK RED	7.5	6.6	/
	W378	/	SILICONE	40±2	BLACK	6.1	7.5	/
	W384	/	SILICONE	40±2	GRAY	8.7	8.5	/















PRODUCT (EXAMPLE)	ID	PART NUMBER	MATERIAL	HARDNESS SHORE "A"	COLOR	L	W	/
	W390	/	SILICONE	40±2	BLACK	6.8	3.6	/
	W396	/	SILICONE	40±2	BROWN	5.8	4.7	/
	W405	/	SILICONE	40±2	LT BLUE	6.8	4	/
	W417	/	SILICONE	40±2	BROWN	/	/	/
	W419	/	SILICONE	40±2	BROWN	/	/	/
	W431	/	SILICONE	40±2	BLACK	7.1	4.1	/
	W440	357 972 842	SILICONE	40±2	BLACK	7.8	9	/
	W445	7157-3755-60	SILICONE	40±2	DK GREEN	7	5.9	/
	W449	7157-8761	SILICONE	40±2	BROWN	6.4	5.6	/
	W451	7158-3198-90	SILICONE	40±2	BLUE	6.5	5	/
	W465	963531-2	SILICONE	40±2	WHITE	7.8	4	/
	W467	10720811	SILICONE	40±2	GRASS GREEN	7	4.5	/















PRODUCT (EXAMPLE)	ID	PART NUMBER	MATERIAL	HARDNESS SHORE "A"	COLOR	L	W	/
	W477	RS460-02000	SILICONE	40±2	BLUE	7.5	5.9	/
	W485	7157-3922-30	SILICONE	40±2	BLACK	5.5	5.1*2.6	/
	W488	7165-0193	SILICONE	40±2	LT GREEN	6.4	4.7	/
	W496	1 928 300 935	SILICONE	40±2	WHITE	/	/	/



PRODUCT (EXAMPLE)	ID	PART NUMBER	MATERIAL	POSITION	COLOR	COMPATIBLE PART
	C004	/	SILICONE	30	BRICK RED	/
	C005	/	SILICONE	44	BRICK RED	/
	C006	/	SILICONE	48	RED	48ZRO-B-2A
	C007	/	SILICONE	2	GREEN	211PC022S0049 211PL022S0049
	C008	/	SILICONE	26	BRICK RED	3-1437290-7 3-1437290-8 1-1447232-7 1473416-1 1473416-2
	C009	/	SILICONE	34	BRICK RED	4-1437290-0 2-1437285-3 4-1437290-1 3-1437290-9
	C010	/	SILICONE	2	BRICK RED	DT06-2S DT04-2P
	C011	/	SILICONE	3	BRICK RED	DT06-3S DT04-3P
	C012	/	SILICONE	4	BRICK RED	DT06-4S DT04-4P
	C013	/	SILICONE	6	BRICK RED	DT06-6S DT04-6P
	C014	/	SILICONE	8	BRICK RED	DT06-08SA DT04-08PA
	C015	/	SILICONE	12	BRICK RED	DT06-12SA DT04-12PA















PRODUCT (EXAMPLE)	ID	PART NUMBER	MATERIAL	POSITION	COLOR	COMPATIBLE PART
	C016	/	SILICONE	8	YELLOW	776286-1
	C017	/	SILICONE	14	GREEN	776273-1
	C018	/	SILICONE	23	BRICK RED	770680-1
	C019	/	SILICONE	35	BRICK RED	776164-1
	C020	/	SILICONE	18	BLUE	MX23A18SF1
	C021	/	SILICONE	26	BLUE	MX23A26SF1
	C022	/	SILICONE	34	BLUE	MX23A34SF1
	C023	/	SILICONE	9	BRICK RED	/
	C024	/	SILICONE	14	BRICK RED	/
	C025	/	SILICONE	27	BRICK RED	/
	C026	/	SILICONE	36	RED	36ZRO-B-1A
	C027	/	SILICONE	54	LT BLUE	/




PRODUCT (EXAMPLE)	ID	PART NUMBER	MATERIAL	POSITION	COLOR	COMPATIBLE PART
	C028	/	SILICONE	64	LT BLUE	/
	C029	/	SILICONE	68	WHITE	/
	C030	12129026	SILICONE	32	GREEN	12129025
	C031	/	SILICONE	6	GREEN	211PC062S5049
	C032	/	SILICONE	8	BLUE	/
	C033	/	SILICONE	30	YELLOW	/
	C034	/	SILICONE	4	BRICK RED	DTP06-4S DTP04-4P
	C035	/	SILICONE	2	BRICK RED	DTP06-2S DTP04-2P
	C036	/	SILICONE	33	BRICK RED	/
	C037	/	SILICONE	4	RED	/
	C038	/	SILICONE	9	BLUE	/
	C039	/	SILICONE	6	BLUE	/











PRODUCT (EXAMPLE)	ID	PART NUMBER	MATERIAL	POSITION	COLOR	COMPATIBLE PART
	C040	/	SILICONE	4	BLUE	/
	C041	/	SILICONE	3	BLUE	/
	C042	/	SILICONE	2	BLUE	/
	C043	/	SILICONE	2	BLUE	776427-1
	C044	/	SILICONE	2	GRAY	776522-1
	C045	/	SILICONE	3	GREEN	776429-1
	C046	/	SILICONE	3	BRICK RED	776523-1
	C047	/	SILICONE	4	GREEN	776487-1
	C048	/	SILICONE	4	BRICK RED	776524-1
	C049	/	SILICONE	6	BLUE	776433-1
	C050	/	SILICONE	6	GRAY	776531-1
	C051	/	SILICONE	8	GREEN	776494-1













PRODUCT (EXAMPLE)	ID	PART NUMBER	MATERIAL	POSITION	COLOR	COMPATIBLE PART
	C052	/	SILICONE	8	BRICK RED	776532-1
	C053	/	SILICONE	12	GREEN	776437-1
	C054	/	SILICONE	12	BRCIK RED	776533-1
	C055	936825-1	SILICONE	76	ORANGE	/
	C056	MG680175	SILICONE	6	BRICK RED	/
	C057	409035	SILICONE	5	BROWN	/
	C058	409035	SILICONE	5	BROWN	/
	C059	409034	SILICONE	6	BROWN	/
	C060	/	SILICONE	6	GREEN	211PC032S0049
	C061	12092604	SILICONE	4	ORANGE	/
	C062	/	SILICONE	4	GREEN	211PC042S4021
	C063	/	SILICONE	4	BROWN	/







PRODUCT (EXAMPLE)	ID	PART NUMBER	MATERIAL	POSITION	COLOR	COMPATIBLE PART
	C064	/	SILICONE	4	ORANGE	/
	C065	/	SILICONE	4	GREEN	/
	C066	/	SILICONE	5	GREEN	/
	C067	/	SILICONE	6	ORANGE	/
	C068	/	SILICONE	8	ORANGE	/
	C069	/	SILICONE	12	LT GREEN	/
	C070	/	SILICONE	15	ORANGE	/
	C071	/	SILICONE	18	LT BLUE	/
	C072	/	SILICONE	19	ORANGE	/
	C073	/	SILICONE	24	BRICK RED	/
	C074	/	SILICONE	24	GREEN	/
	C075	/	SILICONE	24	BRICK RED	/



PRODUCT (EXAMPLE)	ID	PART NUMBER	MATERIAL	POSITION	COLOR	COMPATIBLE PART
	C076	/	SILICONE	26	BLUE	/
	C077	/	SILICONE	28	BRICK RED	/
	C078	/	SILICONE	64	GRAY	/
	C079	/	SILICONE	76	BLUE	/
	C080	/	SILICONE	10	NATURAL	1-965423-1
	C081	/	SILICONE	16	NATURAL	1-964449-1
	C082	/	SILICONE	39	BRICK RED	/
	C083	/	SILICONE	3	BRICK RED	1318670-2
	C084	/	SILICONE	18	NATURAL	1-1670782-1
	C085	936880-1	SILICONE	3	BRICK RED	936527-2
	C086	7161-3224	SILICONE	3	BLACK	/
	C087	1587826-2	SILICONE	2	BRICK RED	/



PRODUCT (EXAMPLE)	ID	PART NUMBER	MATERIAL	POSITION	COLOR	COMPATIBLE PART
	C088	1587826-3	SILICONE	2	GREEN	/
	C089	/	SILICONE	2	BLUE	02T-JWPF-VSLE-S
	C090	/	SILICONE	3	BLUE	03T-JWPF-VSLE-S
	C091	/	SILICONE	4	BLUE	04T-JWPF-VSLE-S



PRODUCT (EXAMPLE)	ID	PART NUMBER	MATERIAL	COMPATIBLE POSITION	COLOR	COMPATIBLE PART
	G001	/	SILICONE	48	BRICK RED	48ZRO-B-2A
	G002	/	SILICONE	/	ORANGE	/
	G003	/	SILICONE	/	NATURAL	/
	G004	/	SILICONE	26	BRICK RED	3-1437290-7
	G005	/	SILICONE	34	BRICK RED	4-1437290-0
	G006	1-282078-1	SILICONE	1	YELLOW	282079-2
	G007	282078-2	SILICONE	2	YELLOW	282080-1
	G008	282078-3	SILICONE	3	YELLOW	282087-1
	G009	282078-4	SILICONE	4	YELLOW	282088-1
	G051	282078-5	SILICONE	5	YELLOW	282089-1
	G010	282078-6	SILICONE	6	YELLOW	282090-1
	G011	1010-009-0206	SILICONE	2	BRICK RED	DT06-2S



PRODUCT (EXAMPLE)	ID	PART NUMBER	MATERIAL	COMPATIBLE POSITION	COLOR	COMPATIBLE PART
	G012	1010-002-0306	SILICONE	3	BRICK RED	DT06-3S
	G013	1010-016-0406	SILICONE	4	BRICK RED	DT06-4S
	G014	1010-017-0606	SILICONE	6	BRICK RED	DT06-6S
	G015	1010-007-0806	SILICONE	8	BRICK RED	DT06-08SA
	G016	1010-020-1206	SILICONE	12	BRICK RED	DT06-12SA
	G017	/	SILICONE	8	YELLOW	776286-1
	G018	/	SILICONE	14	GREEN	776273-1
	G019	/	SILICONE	23	BRICK RED	770680-1
	G020	/	SILICONE	35	BRICK RED	776164-1
	G021	/	SILICONE	18	BLUE	MX23A18SF1
	G022	/	SILICONE	26	BLUE	MX23A26SF1
	G023	/	SILICONE	34	BLUE	MX23A34SF1



PRODUCT (EXAMPLE)	ID	PART NUMBER	MATERIAL	COMPATIBLE POSITION	COLOR	COMPATIBLE PART
	G024	/	SILICONE	36	RED	36ZRO-B-1A
	G025	/	SILICONE	2	LT GREEN	7283-8129
	G026	/	SILICONE	5	LT GREEN	640945-5
	G027	/	SILICONE	/	BRICK RED	/
	G028	/	SILICONE	/	RED	/
	G029	/	SILICONE	4	NATURAL	/
	G030	1010-074-0406	SILICONE	4	BRICK RED	DTP04-4P
	G031	1010-079-0206	SILICONE	2	BRICK RED	DTP04-2P
	G032	1010-064-0206	SILICONE	2	BRICK RED	DT06-2S-EP06
	G033	/	SILICONE	33	BRICK RED	/
	G034	/	SILICONE	/	RED	/
	G035	/	SILICONE	/	BLUE	/



PRODUCT (EXAMPLE)	ID	PART NUMBER	MATERIAL	COMPATIBLE POSITION	COLOR	COMPATIBLE PART
	G036	/	SILICONE	6	BLUE	/
	G037	/	SILICONE	4	BLUE	/
	G038	/	SILICONE	3	BLUE	/
	G039	/	SILICONE	2	BLUE	/
	G040	/	SILICONE	2	BLUE	776427-1
	G041	/	SILICONE	3	LT ORANGE	776429-1
	G042	/	SILICONE	4	LT ORANGE	776487-1
	G043	/	SILICONE	6	LT ORANGE	776433-1
	G044	/	SILICONE	8	LT ORANGE	776494-1
	G045	/	SILICONE	12	LT ORANGE	776437-1
	G046	7172-5264-90	SILICONE	/	BLUE	/
	G047	/	SILICONE	/	GREEN	/















PRODUCT (EXAMPLE)	ID	PART NUMBER	MATERIAL	COMPATIBLE POSITION	COLOR	COMPATIBLE PART
	G048	/	SILICONE	/	GRAY	/
	G049	/	SILICONE	/	GREEN	/
	G050	/	SILICONE	/	BRICK RED	/
	G052	/	SILICONE	2	NATURAL	4F0 973 702
	G053	/	SILICONE	3	NATURAL	2-1718644-1
	G054	/	SILICONE	4	NATURAL	2-1718645-1
	G055	/	SILICONE	5	NATURAL	1-1670921-1
	G056	/	SILICONE	64	NATURAL	PPI0001501
	G057	/	SILICONE	39	BRICK RED	/
	G058	/	SILICONE	1	LT BLUE	6189-0940
	G059	/	SILICONE	3	BRICK RED	1318670-2
	G060	/	SILICONE	6	BRICK RED	7287-1380-30















PRODUCT (EXAMPLE)	ID	PART NUMBER	MATERIAL	COMPATIBLE POSITION	COLOR	COMPATIBLE PART
	G061	/	SILICONE	12	BRICK RED	DTM13-12PA-R008
	G062	/	SILICONE	12	BRICK RED	DTM13-12PA-R008
	G063	/	SILICONE	/	BRICK RED	/
	G064	/	SILICONE	14	NATURAL	1-1670782-1
	G065	936879-1	SILICONE	3	BRICK RED	936527-2
	G066	12052842	SILICONE	3	DK VIOLET	12129946
	G067	/	SILICONE	2	BLACK	6187-2311
	G068	/	SILICONE	3	BLUE	03T-JWPF-VSLE-S
	G069	/	SILICONE	4	BLUE	04T-JWPF-VSLE-S



PRODUCT (EXAMPLE)	ID	/	MATERIAL	HARDNESS SHORE A	COLOR	/
	H069	/	EPDM	50	BLACK	/
	H070	/	EPDM	50	BLACK	/
	H071	/	EPDM	50	BLACK	/
	H072	/	EPDM	50	BLACK	/
	H073	/	EPDM	50	BLACK	/
	H074	/	EPDM	50	BLACK	/
	H075	/	EPDM	50	BLACK	/
	H076	/	EPDM	50	BLACK	/
	H077	/	EPDM	50	BLACK	/
	H078	/	EPDM	50	BLACK	/
	H079	/	EPDM	50	BLACK	/
	H080	/	EPDM	50	BLACK	/



PRODUCT (EXAMPLE)	ID	PART NUMBER	MATERIAL	POSITION	COLOR	COMPATIBLE PART
	H005	880810-1	SILICONE	1	BLACK	282080-1
	H006	/	SILICONE	1	BLACK	282080-1
	H007	/	SILICONE	1	BLACK	/
	H008	/	SILICONE	1	BLACK	/
	H009	/	SILICONE	1	BLACK	/
	H010	/	SILICONE	1	BLACK	/
	H011	/	SILICONE	1	BLACK	/
	H012	/	SILICONE	1	BLACK	/
	H013	/	SILICONE	1	BLACK	/
	H014	/	SILICONE	1	BLACK	/
	H015	/	SILICONE	1	BLACK	/
	H019	/	SILICONE	1	BLACK	/





PRODUCT (EXAMPLE)	ID	PART NUMBER	MATERIAL	POSITION	COLOR	COMPATIBLE PART
	H037	/	SILICONE	1	BLACK	/
	H038	1 928 300 527	SILICONE	1	BLACK	/
	H039	/	SILICONE	1	BLACK	/
	H040	12066591	SILICONE	1	BLACK	/
	H083	TA23-7-14-60	SILICONE	1	BLACK	6098-0244
	N001	/	SILICONE	/	NATURAL	/
	N002	/	SILICONE	/	NATURAL	/
	N003	/	SILICONE	/	BLACK	/
	N004	/	SILICONE	/	BLUE	5810130065
	N005	/	SILICONE	/	BLUE	5810130095
	N006	/	SILICONE	/	BLACK	/
	N007	/	SILICONE	/	BLACK	/



PRODUCT (EXAMPLE)	ID	PART NUMBER	MATERIAL	/	COLOR	COMPATIBLE PART
	N008	TD-SW18JE07-02	SILICONE	/	BLACK	/
	N009	TWSC9-6L	SILICONE	/	GRAY	/
	N010	TWSC9-4G	SILICONE	/	GREEN	/
	N011	TWSC11-8N	SILICONE	/	BLUE	/
	N013	/	SILICONE	/	RED	/
	N014	/	SILICONE	/	RED	/
	N015	/	SILICONE	/	BLACK	/
	N016	/	SILICONE	/	BLACK	/
	N020	/	SILICONE	/	BLACK	/
	N021	/	SILICONE	/	BLACK	/
	N022	/	SILICONE	/	BLACK	/
	N023	/	SILICONE	/	RED	/



PRODUCT (EXAMPLE)	ID	PART NUMBER	MATERIAL	/	COLOR	COMPATIBLE PART
	N024	/	RUBBER	/	GRAY	/
	N025	RC002-32000	SILICONE	/	BLACK	/



Min to Max

MIN TO MAX

Add: #27 Hengjing Xiyi Road, Liushi Town, Yueqing City, Zhejiang Province, 325604, China

Tell: 86-577-6218 6369

Fax: 86-577-5719 5286

Skype: +86 158 6801 6253

Email: info@kinkong.com

Website: www.mintomaxseal.com / www.kinkongseal.com

△ We reserve the right to make technical changes or modify the contents of this document without prior notice.
All the agreed particulars shall prevail. All Right Reserved.

♻ Use of environmentally friendly printing paper.

© Min To Max. All Right Reserved.
